

# Upstreet5

## Innovatively stylish

---

Whether on the road, on a quick commute, or when veering off to ride on a country track, the Upstreet5 turns e-mobility into an experience! A powerful Panasonic motor, balanced geometry, and stable 28-inch wheels with wide tyres guarantee riding comfort and safety. Sophisticated innovations, such as the particularly intuitive operation of colour display and drive – with the option of fully automatic gear shifts – and the low-maintenance belt drive, ensure unlimited riding joy. The Upstreet5 is also available as a high-speed version with pedal assist of up to 45 km/h.

***FIT***



**Upstreet5 7.12**  
Glacier Blue Gloss, Mixed



**Upstreet5 7.70**  
Anthracite Gloss, Gents



**Upstreet5 7.70**  
Tangerine Orange Matt, Comfort



**Upstreet5 7.83**  
Glacier Blue Gloss, Comfort



**Upstreet5 7.83**  
Anthracite Gloss, Gents

# Upstreet5

		Upstreet5 5.00	Upstreet5 5.01R	Upstreet5 5.10
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		<b>3499.–</b>	<b>3499.–</b>	<b>3499.–</b>
<b>Wheel size</b>	28"	•	•	•
<b>Frame shape</b>	Comfort	•	•	▽
	Mixed	–	–	▽
	Gents	–	–	▽
<b>Frame feature</b>	FLYER engineered, hydroformed tubing	•	•	•
<b>Frame material</b>	Aluminium	•	•	•
<b>Frame details</b>	Internal cable routing, 135 mm spacing	•	•	•
<b>Frame size</b>	S	▽	▽	▽
	M	▽	▽	▽
	L	▽	▽	▽
	XL	▽	▽	▽
<b>Frame colour</b>	Anthracite Gloss	•	•	•
	Glacier Blue Gloss	▽(C)	▽(C)	▽(C/M)
	Tangerine Orange Matt	–	–	–
<b>Fork</b>	SR Suntour MobiE A32 Coil, 75 mm, 15 x 100 mm axle	•	•	•
	SR Suntour MobiE 25 Coil, 75 mm, 15 x 100 mm axle	–	–	–
	SR Suntour MobiE 25 Air, 75 mm, 15 x 100 mm axle	–	–	–
<b>Motor</b>	Panasonic GX Power	•	•	•
	Panasonic GX Ultimate	–	–	–
<b>Assistance levels</b>	4 Assistance levels (including auto mode)	•	•	•
<b>Pedal assist</b>	Up to 25 km/h	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•	•
<b>Battery</b>	FLYER Smart Integrated Battery SIB-630 (630 Wh / 16.75 Ah / 36 V)	•	•	•
<b>Display</b>	FLYER D0, 2" color display	•	•	•
	FLYER D1, 3.5" color display	–	–	–
<b>Drive</b>	Belt drive	–	–	–
	Chain drive	•	•	•
<b>Gears</b>	Shimano Nexus, 8 speed	•	•	–
	Shimano Alivio, 9 speed, 11-36t	–	–	•
	Shimano Nexus, 8 speed; Gates Carbon Drive CDX	–	–	–
	Shimano Nexus Di2, 8 speed; Gates Carbon Drive CDX	–	–	–
	Shimano Deore, 10 speed, 11-42t	–	–	–
	Enviolo TR; Gates Carbon Drive CDX	–	–	–
	Enviolo TR Automatic Integrated; Gates Carbon Drive CDX	–	–	–
	Shimano Nexus, 5 speed; Gates Carbon Drive CDX	–	–	–
	Shimano XT, 12 speed, 10-51t	–	–	–
	Rohloff Speedhub, 14 speed; Gates Carbon Drive CDX	–	–	–
	Rohloff Speedhub, E-14 speed; Gates Carbon Drive CDX	–	–	–
<b>Brakes</b>	Shimano T401, 180/180 mm	•	•	•
	Shimano Deore T6000, 180/180 mm	–	–	–
	Shimano XT T8000, 180/180 mm	–	–	–
<b>Stem</b>	FLYER Alloy, 31.8 x 95 mm, adjustable angle	•	•	•
<b>Handlebars</b>	Kalloy HB-TR2, 640 mm, 25°	•	•	•
<b>Saddle</b>	Selle Royal Ariel	•	•	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm, 300 (S) / 350 (M-XL) mm	•	•	•
<b>Rims</b>	Mach1 M650	•	•	•
<b>Front hub</b>	Shimano Alivio HB-MT400, 32h	•	•	•
	Shimano Deore HB-M6010, 32h	–	–	–
	Shimano XT HB-M8010, 32h	–	–	–
<b>Rear hub</b>	Shimano Nexus SG-C6001-8D, 32h	•	–	–
	Shimano Nexus SG-C6001-8CD, 32h	–	•	–
	Shimano Alivio FH-M4050, 32h	–	–	•
	Shimano Deore FH-M6000, 32h	–	–	–
	Enviolo TR CVP, 32h	–	–	–
	Shimano Nexus SG-C7000-5D, 32h	–	–	–
	Shimano FH-MT500, 32h	–	–	–
Rohloff Speedhub 500/14, 32h	–	–	–	
<b>Tyres</b>	Schwalbe Big Ben 28 x 2.15	•	•	•
<b>Pedals</b>	FLYER Wellgo	•	•	•
<b>Headlight</b>	B & M IQ-Myc	•	•	•
	B & M IQ-XS	–	–	–
	B & M IQ-X	–	–	–
<b>Rear light</b>	B & M 2C	•	•	•
<b>Mudguard</b>	SunnyWheel 65mm	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•
<b>Luggage rack</b>	FLYER Racktime with spring clamp	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock with the same key as the battery lock)	•	•	•
<b>Charger</b>	FLYER Charger 4A for SIB/STB	•	•	•

Weight without battery about 25kg, Weight of battery about 3.7kg, Weight of bike with battery about 26 kg 29 kg, Permitted total weight about 149 kg

• Standard specification / ▽ free option / – not available / (D1) Option only available with D1 display  
(C) Comfort / (M) Mixed / (G) Gents

Upstreet5 7.03	Upstreet5 7.06 D1	Upstreet5 7.10	Upstreet5 7.23	Upstreet5 7.43	Upstreet5 7.70	Upstreet5 7.83
3999.-	4599.-	3799.-	4299.-	4099.-	4599.-	5999.-
•	•	•	•	•	•	•
▽	▽	▽	▽	▽	▽	▽
▽	▽	▽	▽	▽	▽	▽
▽	▽	▽	▽	▽	▽	▽
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
▽	▽	▽	▽	▽	▽	▽
▽	▽	▽	▽	▽	▽	▽
▽	▽	▽	▽	▽	▽	▽
▽	▽	▽	▽	▽	▽	▽
•	•	•	•	•	•	•
▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)
▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)	▽(C/M)
-	-	-	-	-	-	-
•	•	•	•	•	-	-
-	-	-	-	-	•	•
-	-	-	-	-	-	-
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	-	•	•	•	•	•
-	•	300	300	-	300	300
•	•	-	•	•	-	•
-	-	•	-	-	•	-
-	-	-	-	-	-	-
-	-	-	-	-	-	-
•	-	-	-	-	-	-
-	•	-	-	-	-	-
-	-	•	-	-	-	-
-	-	-	•	-	-	-
-	-	-	300 (D1)	-	-	-
-	-	-	-	•	-	-
-	-	-	-	-	•	-
-	-	-	-	-	-	•
-	-	-	-	-	-	-
-	-	-	-	-	-	600 (D1)
-	-	-	-	-	-	-
•	•	•	•	•	-	-
-	-	-	-	-	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
-	-	-	-	-	-	-
•	•	•	•	•	-	-
-	-	-	-	-	•	•
•	•	•	•	•	-	-
-	-	-	-	-	-	-
-	-	-	•	-	-	-
-	-	-	-	•	-	-
-	-	-	-	-	-	-
-	-	-	-	-	-	•
-	-	-	-	-	-	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
-	-	-	-	-	-	-
•	•	•	•	•	-	-
-	-	-	-	-	-	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•

# Upstreet5 HS

---

**HS**  
45 km/h

***FIT***



**Upstreet5 7.83 HS**  
Anthracite Gloss, Gents



**Upstreet5 7.70 HS**  
Tangerine Orange Matt, Comfort



**Upstreet5 7.83 HS**  
Glacier Blue Gloss, Mixed

## Upstreet5 HS

		Upstreet5 7.10 HS D1 EU	Upstreet5 7.23 HS D1 EU	Upstreet5 7.70 HS D1 EU	Upstreet5 7.83 HS D1 EU
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		<b>4499.–</b>	<b>4999.–</b>	<b>5299.–</b>	<b>6699.–</b>
<b>Wheel size</b>	28"	•	•	•	•
<b>Frame shape</b>	Comfort	▽	▽	▽	▽
	Mixed	▽	▽	▽	▽
	Gents	▽	▽	▽	▽
<b>Frame feature</b>	FLYER engineered, hydroformed tubing	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•
<b>Frame details</b>	Internal cable routing, 135 mm spacing	•	•	•	•
<b>Frame size</b>	S	▽	▽	▽	▽
	M	▽	▽	▽	▽
	L	▽	▽	▽	▽
	XL	▽	▽	▽	▽
<b>Frame colour</b>	Anthracite Gloss	•	•	•	•
	Glacier Blue Gloss	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
	Tangerine Orange Matt	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
<b>Fork</b>	SR Suntour MobiE 25 Coil, 75 mm, 15 x 100 mm axle	•	•	–	–
	SR Suntour MobiE 25 Air, 75 mm, 15 x 100 mm axle	–	–	•	•
<b>Motor</b>	Panasonic GX Ultimate	•	•	•	•
<b>Assistance levels</b>	4 Assistance levels (including auto mode)	•	•	•	•
<b>Pedal assist</b>	Up to 45 km/h	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•	•	•
<b>Battery</b>	FLYER Smart Integrated Battery SIB-630 (630 Wh / 16.75 Ah / 36 V)	•	•	•	•
<b>Display</b>	FLYER D1, 3.5" color display	•	•	•	•
<b>Drive</b>	Belt drive	–	•	–	•
	Chain drive	•	–	•	–
<b>Gears</b>	Shimano Deore, 10 speed, 11-42t	•	–	–	–
	Enviolo TR; Gates Carbon Drive CDX	–	•	–	–
	Enviolo TR Automatic Integrated; Gates Carbon Drive CDX	–	300	–	–
	Shimano XT, 12 speed, 10-51t	–	–	•	–
	Rohloff Speedhub, 14 speed; Gates Carbon Drive CDX	–	–	–	•
	Rohloff Speedhub, E-14 speed; Gates Carbon Drive CDX	–	–	–	600
<b>Brakes</b>	Magura MT4e, 203/180 mm	•	•	–	–
	Magura MT5e, 203/180 mm	–	–	•	•
<b>Stem</b>	FLYER Alloy, 31.8 x 95 mm, adjustable angle	•	•	•	•
<b>Handlebars</b>	Kalloy HB-TR2, 640 mm, 25°	•	•	•	•
<b>Saddle</b>	Selle Royal Ariel	•	•	•	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm, 300 (S) / 350 (M-XL) mm	•	•	•	•
<b>Rims</b>	Mach1 M650	•	•	•	•
<b>Front hub</b>	Shimano Deore HB-M6010, 32h	•	•	–	–
	Shimano XT HB-M8010, 32h	–	–	•	•
<b>Rear hub</b>	Shimano Deore FH-M6000, 32h	•	–	–	–
	Enviolo TR CVP, 32h	–	•	–	–
	Shimano FH-MT500, 32h	–	–	•	–
	Rohloff Speedhub 500/14, 32h	–	–	–	•
<b>Tyres</b>	Schwalbe Big Ben 28 x 2.15	•	•	•	•
<b>Pedals</b>	FLYER Wellgo	•	•	•	•
<b>Headlight</b>	B & M IQ-X	•	•	•	•
<b>Rear light</b>	Supernova M99 Tail Light 45	•	•	•	•
<b>Mudguard</b>	SunnyWheel 65mm	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•
<b>Luggage rack</b>	FLYER Racktime with spring clamp	•	•	•	•
<b>Rearview mirror</b>	With rearview mirror	•	•	•	•
<b>Registration plate holder</b>	With registration plate holder	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock with the same key as the battery lock)	•	•	•	•
<b>Charger</b>	FLYER Charger 4A for SIB/STB	•	•	•	•

Weight without battery about 25 kg, Weight of battery about 3.7 kg, Weight of bike with battery about 26 kg 29 kg, Permitted total weight about 149 kg

# Upstreet5 7.12, Upstreet4 7.12

## Urban e-bikes with crossover genes

---

The special Upstreet5 and Upstreet4 7.12 models boast impressive off-road capabilities without sacrificing any of their suitability for everyday use. With 27.5-inch wheels, mountain bike tyres, and powerful disc brakes, these particularly versatile e-bikes also display their superiority on unpaved roads. Both models are available in the Gents and Mixed frame shapes, and the Upstreet5 7.12 is also available as a Comfort version with a low step-through frame for maximum comfort.



**Upstreet5 7.12**  
Anthracite Gloss, Gents



**Upstreet5 7.12**  
Glacier Blue Gloss, Mixed



**Upstreet4 7.12**  
Vintage Brass Gloss, Gents



**Upstreet5 7.12**  
Tangerine Orange Matt, Comfort



**Upstreet4 7.12**  
Space Blue Gloss, Gents

## Upstreet5 7.12, Upstreet4 7.12

	Upstreet5 7.12	Upstreet4 7.12
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		
	<b>3799.–</b>	<b>3999.–</b>
<b>Wheel size</b>	27.5"	27.5"
<b>Frame shape</b>	Comfort	–
	Mixed	▽
	Gents	▽
<b>Frame feature</b>	FLYER engineered, hydroformed tubing	•
<b>Frame material</b>	Aluminium	•
<b>Frame details</b>	Internal cable routing, 135 mm spacing	•
<b>Frame size</b>	S	▽
	M	▽
	L	▽
	XL	▽
<b>Frame colour</b>	Anthracite Gloss	•
	Glacier Blue Gloss	▽ (C/M)
	Tangerine Orange Matt	▽ (C/M)
	Vintage Brass Gloss	–
	Space Blue Gloss	–
<b>Fork</b>	SR Suntour MobiE 25 Air, 75 mm, 15 x 100 mm axle	•
<b>Motor</b>	Panasonic GX Ultimate	•
	Bosch Performance Line CX	–
<b>Assistance levels</b>	4 Assistance levels (including auto mode)	•
	4 Assistance levels	–
<b>Pedal assist</b>	Up to 25 km/h	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•
<b>Battery</b>	FLYER Smart Integrated Battery SIB-630 (630 Wh / 16.75 Ah / 36 V)	•
	Bosch PowerTube 500 (500 Wh / 13.4 Ah / 36 V)	–
	Bosch PowerTube 625 (625 Wh / 17.4 Ah / 36 V)	–
<b>Additional battery</b>	DualBattery Bosch PowerPack 500 (500 Wh / 13.4 Ah / 36 V)	–
<b>Display</b>	FLYER D0, 2" color display	•
	Bosch Intuvia	–
	Bosch Kiox	•
<b>Drive</b>	Chain drive	•
<b>Gears</b>	Shimano Deore, 10 speed, 11-42t	•
<b>Brakes</b>	Shimano MT501, 180/180 mm	•
	Shimano MT520/500, 180/180 mm	–
<b>Stem</b>	FLYER Alloy, 31.8 x 95 mm, adjustable angle	•
<b>Handlebars</b>	Kalloy HB-TR2, 640 mm, 25°	•
<b>Saddle</b>	Selle Royal Ariel	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm, 300 (S) / 350 (M-XL) mm	•
	FLYER Alloy, 30.9 mm, 300 (S/M) / 350 (L-XL) mm	–
<b>Rims</b>	Alexrims FR30	•
<b>Front hub</b>	Formula DC71, 32h	•
<b>Rear hub</b>	Formula DC38, 32h	•
<b>Tyres</b>	Maxxis Crossmark II 27.5 x 2.25	•
<b>Pedals</b>	FLYER Wellgo	•
<b>Headlight</b>	Busch & Müller IQ-XS	•
	Supernova MINI 2	–
<b>Rear light</b>	Busch & Müller 2C	•
<b>Mudguard</b>	SunnyWheel 65mm	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•
<b>Luggage rack</b>	FLYER Racktime with spring clamp	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock with the same key as the battery lock)	•
<b>Charger</b>	FLYER Charger 4A for SIB/STB	•
	Bosch Fast Charger 6A	–