

# Gotour6

## The progressive premium perfectionist

The Gotour6 knows no limits, which means that for once headwind is something to be enjoyed on long and short tours. A progressive design and the sleek integration of drive unit and battery into the frame make the Gotour6 the touring e-bike of the next generation. From cables that have been invisibly integrated into the frame to components that are perfectly coordinated in terms of function and appearance, the Gotour6 stands out with its great love of detail. Its comfortable and smooth riding performance is also exceptional: with its harmonious and whisper-quiet Bosch drive, the Gotour6 causes the FLYER smile to spread across your face. A wide range of available features mean that the e-bike can be perfectly adapted to individual wishes, whether a low-maintenance belt drive, high-end Rohloff gears or off-road tyres for enhanced safety on unpaved paths. With the Gotour6, every path becomes an individual pleasure.



**Gotour6 703**  
Black Matt, Gents

The product images shown in this catalogue may differ from the specifications. Colours may differ.

### **Bosch Performance Line motor**

The silent Performance Line is the most versatile Bosch drive system. With a sporty torque of 65 Nm and a high level of performance, the Bosch Performance Line drive unit always provides the right level of assistance at the right time. The riding experience remains natural, with almost no pedal resistance in Off mode and over 25 km/h.



### **Bosch Intuvia / Nyon display**

The Intuvia offers ease of operation, self-explanatory handling and a display that is ideal to read whatever the lighting conditions. You have an ideal overview of all riding data at all times. The new Nyon on-board computer is available as an option with innovative and interactive additional functions.



### **Bosch PowerTube 625 battery (optional)**

Bosch PowerTube batteries provide a great deal of energy for any tour and fit perfectly into the design of the e-bike thanks to their compact size and minimalist style. The large 625 Wh battery allows riders to take on long distances.





**Gotour6 712XC**  
Jeans Blue Gloss, Comfort



**Gotour6 783**  
Cast Silver Gloss, Comfort

The product images shown in this catalogue may differ from the specifications. Colours may differ.

#### Smart battery integration

Sophisticated technology and the carefully thought out positioning of the PowerTube battery guarantee a vibration-free fit. Yet the battery is still easy to remove and can be charged either away from the e-bike or directly on the e-bike using the protected charging port.



#### Speedlifter Twist

With the Speedlifter Twist, the handlebars can be vertically adjusted in just two steps (no tools required), allowing you to set a comfortable seating position. The handlebars can be turned 90° to save space when storing the FLYER e-bike.



#### Low-maintenance Gates Carbon Drive

The high-quality carbon-reinforced belt drive is clean, particularly low maintenance and does not rust.



## Gotour6 chain

		Gotour6 5.00	Gotour6 5.40	Gotour6 5.41R	Gotour6 7.10	Gotour6 7.12 XC
<b>Prices in EUR – non-binding recommended retail price, including legal</b>		3599	3699	3699	3899	3999
<b>Wheel size</b>	28"	•	•	•	•	–
	27.5"	–	–	–	–	•
<b>Frame shape</b>	Comfort	▽	▽	▽	▽	▽
	Gents	▽	▽	▽	▽	▽
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing, Integrated Battery	•	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•	•
<b>Frame details</b>	Internal Cable Routing, 135mm Spacing	•	•	•	•	•
<b>Frame size</b>	S	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
	M	▽	▽	▽	▽	▽
	L	▽	▽	▽	▽	▽
	XL	▽	▽	▽	▽	▽
<b>Frame colour</b>	Black Matt	▽	▽	▽	▽	▽
	Jeans Blue Gloss	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
	Cast Silver Gloss	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
<b>Fork</b>	SR Suntour MobiE A32 Coil, 75 mm, 15x100 mm Axle	•	•	•	–	–
	SR Suntour MobiE 25 Coil, 75 mm, 15x100 mm Axle	–	–	–	•	•
<b>Motor</b>	Bosch Performance Line	•	•	•	•	•
<b>Assistance levels</b>	4 assistance levels	•	•	•	•	•
<b>Pedal assist</b>	Up to 25 km/h	•	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•	•	•	•
<b>Battery</b>	Bosch PowerTube 500 (500Wh/13.4Ah/36V)	•	•	•	•	•
	Bosch PowerTube 625 (625Wh/16.7Ah/36V)	200	200	200	200	200
<b>Display</b>	Bosch Intuvia	•	•	•	•	•
	Bosch Nyon	–	–	–	450	450
<b>Type of gears</b>	Hub gears with chain	•	•	•	–	–
	Derailleur gears	–	–	–	•	•
<b>Gears</b>	Shimano Nexus, 8 Speed	•	–	–	–	–
	Shimano Nexus, 5 Speed	–	•	–	–	–
	Shimano Nexus coaster brake, 5 Speed	–	–	•	–	–
	Shimano Deore, 10 Speed, 11-42t	–	–	–	•	•
<b>Brakes</b>	Shimano T401, 180/180 mm	•	•	–	–	–
	Shimano T401, 180/160 mm	–	–	•	–	–
	Shimano Deore T6000, 180/180 mm	–	–	–	•	–
	Shimano Deore MT520/500, 180/180 mm	–	–	–	–	•
<b>Stem</b>	Speedlifter Twist, 31.8x95 mm, Adjustable Height XS 60 mm, S/M 80 mm, L/XL 100 mm, Adjustable Angle	•	•	•	•	•
<b>Handlebars</b>	FLYER Cruise, 620 mm, 44°, 55 mm (C) / Kalloy HB-TR2, 640 mm, 25° (G)	•	•	•	•	•
<b>Saddle</b>	Selle Royal Essenza+	•	•	•	•	•
<b>Seat post</b>	FLYER Cushy Suspension, 272 mm x 250 (S) / 300 (M-XL) mm	•	•	•	–	–
	FLYER Bracer Suspension, 272 x 300 mm	–	–	–	•	•
<b>Rims</b>	FLYER Disc	•	•	•	•	•
<b>Front hub</b>	Shimano Alivio HB-MT400, 32h	•	•	•	–	–
	Shimano Deore HB-M6010, 32h	–	–	–	•	•
<b>Rear hub</b>	Shimano Nexus SG-C6001-8D, 32h	•	–	–	–	–
	Shimano Nexus SG-C7000-5D, 32h	–	•	–	–	–
	Shimano Nexus SG-C7000-5CD, 32h	–	–	•	–	–
	Shimano Deore FH-M6000, 32h	–	–	–	•	•
<b>Tyres</b>	Schwalbe Big Ben 28 x 2.15	•	•	•	•	–
	Maxxis Crossmark II 27.5 x 2.25	–	–	–	–	•
<b>Pedals</b>	FLYER Wellgo	•	•	•	•	•
<b>Headlight</b>	Busch & Müller IQ-Myc	•	•	•	–	–
	Busch & Müller IQ-XS	–	–	–	•	•
<b>Rear light</b>	Busch & Müller 2C	•	•	•	•	•
<b>Mudguard</b>	SKS B65	•	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•	•
<b>Rack</b>	FLYER Racktime with spring clamp	•	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock: single key system with battery lock)	•	•	•	•	–
	ABUS Plus battery lock system	–	–	–	–	•
<b>Charger</b>	Bosch Standard Charger 4 A	•	•	•	–	–
	Bosch Fast Charger 6 A	–	–	–	•	•

Weight without battery: about 26 kg, Weight battery: about 2.9 kg, Weight of bike with battery: about 29 kg, Permitted total weight: 149 kg

## Gotour6 belt

		Gotour6 7.03	Gotour6 7.03R	Gotour6 7.23	Gotour6 7.43	Gotour6 7.83
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		4199	4199	4599	4299	6999
<b>Wheel size</b>	28"	•	•	•	•	•
<b>Frame shape</b>	Comfort	▽	▽	▽	▽	▽
	Gents	▽	▽	▽	▽	▽
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing, Integrated Battery	•	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•	•
<b>Frame details</b>	Internal Cable Routing, 135 mm Spacing	•	•	•	•	•
<b>Frame size</b>	S	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
	M	▽	▽	▽	▽	▽
	L	▽	▽	▽	▽	▽
	XL	▽	▽	▽	▽	▽
<b>Frame colour</b>	Black Matt	▽	▽	▽	▽	▽
	Jeans Blue Gloss	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
	Cast Silver Gloss	▽ (C)	▽ (C)	▽ (C)	▽ (C)	▽ (C)
<b>Fork</b>	SR Suntour MobiE 25 Coil, 75 mm, 15x100 mm Axle	•	•	•	•	•
<b>Motor</b>	Bosch Performance Line	•	•	•	•	•
<b>Assistance levels</b>	4 assistance levels	•	•	•	•	•
<b>Pedal assist</b>	Up to 25 km/h	•	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•	•	•	•
<b>Battery</b>	Bosch PowerTube 500 (500 Wh/13.4 Ah/36 V)	•	•	•	•	•
	Bosch PowerTube 625 (625 Wh/16.7 Ah/36 V)	200	200	200	200	200
<b>Display</b>	Bosch Intuvia	•	•	•	•	–
	Bosch Nyon	450	450	450	450	•
<b>Type of gears</b>	Hub gears with belt	•	•	•	•	•
<b>Gears</b>	Shimano Nexus, 8 Speed; Gates Carbon Drive CDX	•	–	–	–	–
	Shimano Nexus coaster brake, 8 Speed; Gates Carbon Drive CDX	–	•	–	–	–
	Enviolo TR; Gates Carbon Drive CDX	–	–	•	–	–
	Enviolo TR Automatiq; Gates Carbon Drive CDX	–	–	300	–	–
	Shimano Nexus, 5 Speed; Gates Carbon Drive CDX	–	–	–	•	–
	Rohloff Speedhub, E-14 Speed; Gates Carbon Drive CDX	–	–	–	–	•
<b>Brakes</b>	Shimano Deore T6000, 180/180 mm	•	–	•	•	–
	Shimano Deore T6000, 180/160 mm	–	•	–	–	–
	Shimano XT T8000, 180/180 mm	–	–	–	–	•
<b>Stem</b>	Speedlifter Twist, 31.8x95 mm, Adjustable Height XS 60 mm, S/M 80 mm, L/XL 100 mm, Adjustable Angle	•	•	•	•	•
<b>Handlebars</b>	FLYER Cruise, 620 mm, 44°, 55 mm (C) / Kalloy HB-TR2, 640 mm, 25° (G)	•	•	•	•	•
<b>Saddle</b>	Selle Royal Essenza+	•	•	•	•	–
	Selle Royal Lookin	–	–	–	–	•
<b>Seat post</b>	FLYER Bracer Suspension, 27.2x300 mm	•	•	•	•	•
<b>Rims</b>	FLYER Disc	•	•	•	•	•
<b>Front hub</b>	Shimano Deore HB-M6010, 32 h	•	•	•	•	–
	Shimano XT HB-M8010, 32 h	–	–	–	–	•
<b>Rear hub</b>	Shimano Nexus SG-C6001-8D, 32 h	•	–	–	–	–
	Shimano Nexus SG-C6001-8CD, 32 h	–	•	–	–	–
	Enviolo TR CVP, 32 h	–	–	•	–	–
	Shimano Nexus SG-C7000-5D, 32 h	–	–	–	•	–
	Rohloff Speedhub 500/14, 32 h	–	–	–	–	•
<b>Tyres</b>	Schwalbe Big Ben 28x2.15	•	•	•	•	•
<b>Pedals</b>	FLYER Wellgo	•	•	•	•	•
<b>Headlight</b>	Busch & Müller IQ-XS	•	•	•	•	•
<b>Rear light</b>	Busch & Müller 2C	•	•	•	•	•
<b>Mudguard</b>	SKS B65	•	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•	•
<b>Rack</b>	FLYER Racktime with spring clamp	•	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock: single key system with battery lock)	•	•	•	•	•
<b>Charger</b>	Bosch Fast Charger 6 A	•	•	•	•	•

Weight without battery: about 26 kg, Weight battery: about 2.9 kg, Weight of bike with battery: about 29 kg, Permitted total weight: 149 kg