

# Uproc1

## The endurance purist

The Uproc1 is the perfect companion for e-mountainbike beginners who are looking for extended riding enjoyment on moderate terrain. The hardtail has been reduced to the essential and boasts a particularly impressive range. The 625 Wh battery is elegantly integrated into the frame and may be optionally extended with a DualBattery to achieve a possibly record-breaking battery capacity of 1125 Wh in total. The lightweight yet rigid frame combined with the new Bosch Performance Line CX drive guarantees agile and extremely dynamic handling. The Uproc1 is perfectly equipped for extended tours with a full load of enjoyment.



**Uproc1 4.30**  
Anthracite/Lime Green Matt

The product images shown in this catalogue may differ from the specifications. Colours may differ.

### Bosch Performance Line CX motor

The most powerful Bosch drive is particularly compact, yet still provides high levels of performance and efficiency. The Performance Line CX offers impressive acceleration, reacts without delay and is convincing with its agile handling and enhanced control. With a torque of 85 Nm, up to 340 % perfectly dispensed assistance and dynamic response characteristics, the Performance Line CX takes e-biking pleasure to new heights.



### Bosch Purion display

The Purion is the minimalist display for anyone who wants an uncluttered look on their handlebars. The compact display is also the operating console and shows the most important information.



### Double range (optional DualBattery)

The battery capacity of up to 1125 Wh (with a DualBattery option) guarantees a massive range, which is ideal for endless tours and great differences in altitude.





**Uproc 4.30**  
Space Blue / Solid White Matt



**Uproc 2.10**  
Anthracite Matt

The product images shown in this catalogue may differ from the specifications. Colours may differ.

#### Battery handling

The main battery, which is fully integrated into the down tube, can be removed in just two steps and charged externally.



#### MonkeyLink interfaces

The intelligent MonkeyLink interfaces make it extremely easy to click accessories, such as a headlight, into place using a magnetic feed. The lights are supplied with energy from the e-bike's battery.



## Uproc1

		Uproc1 2.10	Uproc1 4.30
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		3699	3999
<b>Wheel size</b>	27.5"	•	•
<b>Frame shape</b>	Hardtail	•	•
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing, Integrated Battery	•	•
<b>Frame material</b>	Aluminium	•	•
<b>Frame details</b>	Internal Cable Routing, Boost 12x148 mm	•	•
<b>Frame size</b>	S	▽	▽
	M	▽	▽
	L	▽	▽
	XL	▽	▽
<b>Frame colour</b>	Anthracite Matt	•	–
	Space Blue/Solid White Matt	–	▽
	Anthracite/Lime Green Matt	–	▽
<b>Fork</b>	SR Suntour XCM34 Coil, 120 mm, 15x110 mm Boost	•	–
	SR Suntour XCR34 Air, 120 mm, 15x110 mm Boost	–	•
<b>Motor</b>	Bosch Performance Line CX	•	•
<b>Assistance levels</b>	4 assistance levels (including E-MTB mode)	•	•
<b>Pedal assist</b>	Up to 25 km/h	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•
<b>Battery</b>	Bosch PowerTube 500 (500Wh/13.4Ah/36V)	•	•
	Bosch PowerTube 625 (625Wh/16.7Ah/36V)	–	200
<b>Additional battery</b>	DualBattery Bosch PowerPack 500 (500Wh/13.4Ah/36V)	–	950
<b>Display</b>	Bosch Purion	•	•
<b>Type of gears</b>	Derailleur gears	•	•
<b>Gears</b>	Shimano Deore, 10 speed, 11-46t	•	–
	Shimano XT/Deore, 12 speed, 10-51t	–	•
<b>Brakes</b>	Shimano Deore MT420, 203/180 mm	•	–
	Shimano MT520, 203/180 mm	–	•
<b>Stem</b>	MonkeyLink, 31.8x55 mm, 0°	•	•
<b>Handlebars</b>	FLYER Alloy, 740 mm, 9°, 25 mm	•	•
<b>Saddle</b>	Selle Royal Vivo	•	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm x 300 (S) / 350 (M-XL) mm	•	•
	FLYER Dropper Post MT171, 100 (S) / 125 (M) / 150 (L-XL) mm Travel, 30.9 mm	–	200
<b>Rims</b>	Rodi Ready 30	•	•
<b>Tyres</b>	Maxxis Rekon Exo TR 27.5 x 2.60	•	•
<b>Pedals</b>	VP 527	•	•
<b>Headlight</b>	Without Headlight	•	•
	Supernova M99 Mini Pure 25 MonkeyLink	–	250
<b>Anti-theft protection</b>	ABUS Plus battery lock system	•	•
<b>Charger</b>	Bosch Compact Charger 2A	•	–
	Bosch Standard Charger 4A	–	•

Weight without battery: about 21.9 kg, Weight battery: about 2.9 kg, Weight of bike with battery: about 25 kg, Permitted total weight: 130 kg