

Uproc7

The agile mountaineer

Rock fields, challenging trails, the steepest ascents and descents – this is where the Uproc7 is in its element. It is an e-mountainbike built for Alpine trails. Its perfectly adjusted 160 mm of travel, voluminous 27.5-inch tyres, and potent braking system ensure powerful and confident handling and maximum control. Thanks to its short chainstays and optimised weight distribution, the Uproc7 not only offers an exceptionally smooth ride, but is also extremely dynamic and agile. The low standover height increases freedom of movement and control on any terrain. The Panasonic GX Ultimate motor is specifically designed for a sporty riding style with a high pedal frequency. With the ultra-powerful assistance of up to 600 watts and 90 Nm torque, the mountaineer masters even the steepest ascents. The Uproc7 is at home in the Alps.



Uproc7 8.70
Mercury Red / Red Brown Gloss

The product images shown in this catalogue may differ from the specifications. Colours may differ.

Panasonic GX Ultimate motor

Weighing just 2.9 kg, the Panasonic GX Ultimate is one of the lightest in its class, yet at the same time provides record levels of assistance with 90 Nm torque. The powerful drive unit is impressive with its constant power output across an extremely wide pedal cadence range, which means the best level of assistance is also guaranteed at a low pedal frequency.



FIT display and remote (D1 as an option)

The control elements developed by FIT are clearly laid out, simple to operate and perfectly ergonomic – quality you can touch and experience. The 3.5-inch FIT D1 display with comprehensive additional functions is available as an option.



FLYER SIB-750 or SIB-630 battery

The semi-integrated 630 or 750 Wh FLYER Smart Integrated Battery (SIB) provides a great deal of energy for long tours that cover large differences in altitude.





Uproc7 6.30
Black Shading / Cast Silver Matt



Uproc7 4.10
Space Blue / Solid White Matt

The product images shown in this catalogue may differ from the specifications. Colours may differ.

SIB battery integration with vibration-free fit
Smart battery integration makes it easy to change the battery and guarantees a vibration-free fit even in rough terrain. The L-shaped down tube construction maximises frame rigidity and guarantees precise and confident handling.



Four-link suspension – 160 mm of travel
With its four-link suspension design and 160mm of travel specifically optimised for e-bikes, the active chassis ensures maximum comfort and riding safety on challenging trails.



Balanced geometry for trail riding
The slack head tube angle and optimised weight distribution provide a particularly high level of riding stability, while the central seating position guarantees the best climbing capabilities. The low standover height increases freedom of movement and control on any terrain.



Uproc7

Prices in EUR – non-binding recommended retail price, including legal VAT

		Uproc7 4.10	Uproc7 6.30	Uproc7 8.70
		4699	5199	5999
Wheel size	27.5"	•	•	•
Frame shape	Full Suspension	•	•	•
Frame feature	FLYER Engineered, Hydroformed Tubing, 4-Link Suspension, 160mm Travel	•	•	•
Frame material	Aluminium	•	•	•
Frame details	Internal Cable Routing, Boost 12x148mm	•	•	•
Frame size	S	▽	▽	▽
	M	▽	▽	▽
	L	▽	▽	▽
	XL	▽	▽	▽
Frame colour	Black Shading / Cast Silver Matt	▽	▽	▽
	Space Blue / Solid White Matt	▽	▽	▽
	Mercury Red / Red Brown Gloss	▽	▽	▽
Rear shock	RockShox Deluxe Select+ RL, 205x65mm Trunnion	•	•	–
	RockShox Super Deluxe Select+ RT, 205x65mm Trunnion	–	–	•
Fork	SR Suntour Aion35 Evo, 160mm, 15x110mm Boost	•	–	–
	RockShox Yari RC, 160mm, 15x110mm Boost	–	•	–
	RockShox Lyrik Select+, 160mm, 15x110mm Boost	–	–	•
Motor	Panasonic GX Ultimate	•	•	•
Assistance levels	4 assistance levels (including auto mode)	•	•	•
Pedal assist	Up to 25km/h	•	•	•
Pushing aid	Pushing aid up to 6km/h	•	•	•
Battery	FLYER SIB-630 (630Wh/16.75Ah/36V)	•	•	•
	FLYER SIB-750 (750Wh/20.1Ah/36V)	200	200	200
Display	FIT DO (2" Color Display)	•	•	•
	FIT D1 (3.5" Color Display)	–	300	300
Type of gears	Deraileur gears	•	•	•
Gears	Shimano Deore, 10 speed, 11-46t	•	–	–
	Shimano XT/Deore, 12 speed, 10-51t	–	•	–
	Shimano XT, 12 speed, 10-51t	–	–	•
Brakes	Shimano Deore MT420, 203/203mm	•	–	–
	Magura MT5 eSTOP, 203/203mm	–	•	–
	Shimano XT BR-M8120, 203/203mm	–	–	•
Stem	FLYER Alloy, 31.8x50mm, 3°	•	•	•
Handlebars	FLYER Alloy, 780mm, 9°, 25mm	•	•	•
Saddle	Selle Royal Vivo	•	•	–
	Fizik Aidon	–	–	•
Seat post	FLYER Dropper Post MT171, 100(S)/125(M)/150(L-XL) mm Travel, 31.6mm	•	•	•
Rims	SUNringlé Düroc SD37 Comp	•	•	–
	DT Swiss H 1900 Spline 35	–	–	•
Tyres	Front: Maxxis Minion DHF Exo+ 27.5x2.60 / Rear: Maxxis Minion DHRII Exo+ 27.5x2.60	•	•	•
Pedals	VP 532	•	•	•
Headlight	Without Headlight	•	•	•
	Supernova M99 Mini Pure 25	–	250 (D0)	250 (D0)
	Supernova M99 Pro FIT	–	350 (D1)	350 (D1)
Anti-theft protection	ABUS Plus battery lock system	•	•	•
Charger	FLYER Charger 4A 36V	•	•	•

Weight without battery: about 21kg, Weight battery: about 3.7kg, Weight of bike with battery: about 25kg, Permitted total weight: 130kg