

# Upstreet5

## Innovatively stylish

Whether on the road, on a quick commute, or when veering off to ride on a country track, the Upstreet5 turns e-mobility into an experience. A powerful Panasonic motor, balanced geometry and stable wheels with wide tyres guarantee riding comfort and safety. Sophisticated innovations, such as the particularly intuitive operation of the colour display and drive system – with the option of fully automatic gear shifts – and the low-maintenance belt drive, ensure unlimited riding joy. The Upstreet5 accepts no restrictions in terms of features and components. The Upstreet5 is available as a high-speed version with pedal assist up to 45 km/h and as a 7.12 XC special model with mountain bike tyres for enhanced off-road capabilities. The Upstreet5 turns everyday routine into leisure time.



**Upstreet5 7.83**  
Pearl White Gloss, Comfort

The product images shown in this catalogue may differ from the specifications. Colours may differ.

### **Panasonic GX Ultimate / GX Power Plus / GX Power motor**

The powerful Panasonic motors provide a great deal of power for steep ascents and effortless hill starts. The top models are equipped with the powerful Panasonic GX Ultimate, which delivers 90 Nm torque. The entry-level models include the particularly quiet Panasonic GX Power (60 Nm) or GX Power Plus (75 Nm), which also offer assistance of up to 300 %.



### **FIT display and remote (D1 as an option)**

The control elements developed by FIT are clearly laid out, simple to operate and perfectly ergonomic – quality you can touch and experience. The 3.5-inch FIT D1 display with comprehensive additional functions is available as an option.



### **FLYER SIB-750 or SIB-630 battery**

The semi-integrated 630 or 750 Wh FLYER Smart Integrated Battery (SIB) provides a great deal of energy for long tours that cover large differences in altitude.





**Upstreet 5 7.12 XC**  
Mercury Red Gloss, Mixed



**Upstreet 5 7.10**  
Anthracite Gloss, Gents

The product images shown in this catalogue may differ from the specifications. Colours may differ.

#### **Clever SIB battery integration**

Smart battery integration makes it easy to change the battery and guarantees a vibration-free fit. The battery can be charged on the e-bike itself or away from the bike.




#### **Integrated gears (optional)**

Due to the complete integration of the Enviolo TR Automatiq shifting solution into the FIT system, it is possible to change gears fully automatically or manually. This is done via the FIT operating console – without the need for a separate gear lever.



#### **Gates Carbon Drive (belt drive)**

The high-quality carbon-reinforced belt drive is clean, particularly low maintenance and does not rust.



## Upstreet5 HS

		Upstreet5 7.10 HS	Upstreet5 7.23 HS	Upstreet5 7.70 HS	Upstreet5 7.83 HS
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		4699	5199	5399	7399
<b>Wheel size</b>	28"	•	•	•	•
<b>Frame shape</b>	Comfort	▽	▽	▽	▽
	Mixed	▽	▽	▽	▽
	Gents	▽	▽	▽	▽
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•
<b>Frame details</b>	Internal Cable Routing, 135mm Spacing	•	•	•	•
<b>Frame size</b>	S	▽	▽	▽	▽
	M	▽	▽	▽	▽
	L	▽	▽	▽	▽
	XL	▽	▽	▽	▽
<b>Frame colour</b>	Anthracite Gloss	▽	▽	▽	▽
	Mercury Red Gloss	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
	Pearl White Gloss	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
<b>Fork</b>	SR Suntour MobiE 25 Coil, 75 mm, 15x100 mm Axle	•	•	–	–
	SR Suntour MobiE 25 Air, 75 mm, 15x100 mm Axle	–	–	•	•
<b>Motor</b>	Panasonic GX Ultimate HS	•	•	•	•
<b>Assistance levels</b>	4 assistance levels (including auto mode)	•	•	•	•
<b>Pedal assist</b>	Up to 45km/h	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6km/h	•	•	•	•
<b>Battery</b>	FLYER SIB-630 (630Wh/16.75Ah/36V)	•	•	•	•
	FLYER SIB-750 (750Wh/20.1Ah/36V)	200	200	200	200
<b>Display</b>	FIT D1 (3.5" Color Display)	•	•	•	•
<b>Type of gears</b>	Derailleur gears	•	–	•	–
	Hub gears with belt	–	•	–	•
<b>Gears</b>	Shimano Deore, 10 Speed, 11-42t	•	–	–	–
	Enviolo TR; Gates Carbon Drive CDX	–	•	–	–
	Enviolo TR Automatiq Integrated; Gates Carbon Drive CDX	–	300	–	–
	Shimano XT, 12 Speed, 10-51t	–	–	•	–
<b>Brakes</b>	Rohloff Speedhub, E-14 Speed; Gates Carbon Drive CDX	–	–	–	•
	Magura MT4e, 203/180 mm	•	•	–	–
	Magura MT5e, 203/180 mm	–	–	•	•
<b>Stem</b>	FLYER Alloy, 31.8 x 95 mm, Adjustable Angle	•	•	•	•
<b>Handlebars</b>	Kalloy HB-TR2, 640 mm, 25 °	•	•	•	•
<b>Saddle</b>	Selle Royal Ariel	•	•	–	–
	Selle Royal Essenza+	–	–	•	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm x 300 (S) / 350 (M-XL) mm	•	•	•	•
<b>Rims</b>	FLYER Disc	•	•	•	•
<b>Front hub</b>	Formula DC-71, 32h	•	–	–	–
	Bear Pawls BMT-003, 32h	–	•	•	•
<b>Rear hub</b>	Formula DC-38, 32h	•	–	–	–
	Enviolo TR CVP, 32h	–	•	–	–
	Bear Pawls BMT-004, 32h	–	–	•	–
	Rohloff Speedhub 500/14, 32h	–	–	–	•
<b>Tyres</b>	Schwalbe Big Ben 28 x 2.15	•	•	•	•
<b>Pedals</b>	FLYER Wellgo	•	•	•	•
<b>Headlight</b>	Busch & Müller IQ-X	•	•	•	•
<b>Rear light</b>	Supernova M99 Tail Light 45	•	•	•	•
<b>Mudguard</b>	SunnyWheel 65 mm	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•
<b>Rack</b>	FLYER Racktime with spring clamp	•	•	•	•
<b>Rearview mirror</b>	With Rearview mirror	•	•	•	•
<b>Registration plate holder</b>	With Registration plate holder	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock: single key system with battery lock)	•	•	•	•
<b>Charger</b>	FLYER Charger 4 A 36V	•	•	•	•

Weight without battery: about 24.3kg, Weight battery: about 3.7kg, Weight of bike with battery: about 28kg, Permitted total weight: 149kg

## Upstreet5 derailleur gears

		Upstreet5 5.10	Upstreet5 7.10	Upstreet5 7.12 XC	Upstreet5 7.70
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		3699	3999	3999	5099
<b>Wheel size</b>	28"	•	•	–	•
	27.5"	–	–	•	–
<b>Frame shape</b>	Comfort	▽	▽	▽	▽
	Mixed	▽	▽	▽	▽
	Gents	▽	▽	▽	▽
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•
<b>Frame details</b>	Internal Cable Routing, 135mm Spacing	•	•	•	•
<b>Frame size</b>	S	▽	▽	▽	▽
	M	▽	▽	▽	▽
	L	▽	▽	▽	▽
	XL	▽	▽	▽	▽
<b>Frame colour</b>	Anthraxite Gloss	▽	▽	▽	▽
	Mercury Red Gloss	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
	Pearl White Gloss	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
<b>Fork</b>	SR Suntour MobiE A32 Coil, 75 mm, 15x100 mm Axle	•	–	–	–
	SR Suntour MobiE 25 Coil, 75 mm, 15x100 mm Axle	–	•	–	–
	SR Suntour MobiE 25 Air, 75 mm, 15x100 mm Axle	–	–	–	•
<b>Motor</b>	Panasonic GX Power	•	–	–	–
	Panasonic GX Ultimate	–	•	•	•
<b>Assistance levels</b>	4 assistance levels (including auto mode)	•	•	•	•
<b>Pedal assist</b>	Up to 25km/h	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6km/h	•	•	•	•
<b>Battery</b>	FLYER SIB-630 (630Wh/16.75Ah/36V)	•	•	•	•
	FLYER SIB-750 (750Wh/20.1Ah/36V)	200	200	200	200
<b>Display</b>	FIT D0 (2" Color Display)	•	•	•	–
	FIT D1 (3.5" Color Display)	–	300	–	•
<b>Type of gears</b>	Derailleur gears	•	•	•	•
<b>Gears</b>	Shimano Alivio, 9 Speed, 11-36t	•	–	–	–
	Shimano Deore, 10 Speed, 11-42t	–	•	•	–
	Shimano XT, 12 Speed, 10-51t	–	–	–	•
<b>Brakes</b>	Shimano T401, 180/180 mm	•	–	–	–
	Shimano Deore T6000, 180/180 mm	–	•	–	–
	Shimano Deore MT520/500, 180/180 mm	–	–	•	–
	Shimano XT T8000, 180/180 mm	–	–	–	•
<b>Stem</b>	FLYER Alloy, 31.8x95mm, Adjustable Angle	•	•	•	•
<b>Handlebars</b>	Kalloy HB-TR2, 640mm, 25°	•	•	•	•
<b>Saddle</b>	Selle Royal Ariel	•	•	•	–
	Selle Royal Essenza+	–	–	–	•
<b>Seat post</b>	FLYER Alloy, 309mm x 300(S)/350(M-XL) mm	•	•	•	•
<b>Rims</b>	FLYER Disc	•	•	•	•
<b>Front hub</b>	Shimano Alivio HB-MT400, 32h	•	–	–	–
	Shimano Deore HB-M6010, 32h	–	•	•	–
	Shimano XT HB-M8010, 32h	–	–	–	•
<b>Rear hub</b>	Shimano Alivio FH-M4050, 32h	•	–	–	–
	Shimano Deore FH-M6000, 32h	–	•	•	–
	Shimano FH-MT500, 32h	–	–	–	•
<b>Tyres</b>	Schwalbe Big Ben 28x2.15	•	•	–	•
	Maxxis Crossmark II 27.5x2.25	–	–	•	–
<b>Pedals</b>	FLYER Wellgo	•	•	•	•
<b>Headlight</b>	Busch & Müller IQ-Myc	•	–	–	–
	Busch & Müller IQ-XS	–	•	•	–
	Busch & Müller IQ-X	–	–	–	•
<b>Rear light</b>	Busch & Müller 2C	•	•	•	•
<b>Mudguard</b>	SunnyWheel 65mm	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•
<b>Rack</b>	FLYER Racktime with spring clamp	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock: single key system with battery lock)	•	•	•	•
<b>Charger</b>	FLYER Charger 4A 36V	•	•	•	•

Weight without battery: about 24.3kg, Weight battery: about 3.7kg, Weight of bike with battery: about 28kg, Permitted total weight: 149kg

• Standard specification / – not available / ▽ free option / (D1), (D0) Option only available with D1/D0 display / (C) Comfort / (M) Mixed / (G) Gents

## Upstreet5 hub gears

		Upstreet5 5.40	Upstreet5 5.41R	Upstreet5 7.03	Upstreet5 7.23	Upstreet5 7.43	Upstreet5 7.83
<b>Prices in EUR – non-binding recommended retail price, including legal VAT</b>		3799	3799	4199	4499	4299	6999
<b>Wheel size</b>	28"	•	•	•	•	•	•
<b>Frame shape</b>	Comfort	•	•	▽	▽	▽	▽
	Mixed	–	–	▽	▽	▽	▽
	Gents	–	–	▽	▽	▽	▽
<b>Frame feature</b>	FLYER Engineered, Hydroformed Tubing	•	•	•	•	•	•
<b>Frame material</b>	Aluminium	•	•	•	•	•	•
<b>Frame details</b>	Internal Cable Routing, 135mm Spacing	•	•	•	•	•	•
<b>Frame size</b>	S	▽	▽	▽	▽	▽	▽
	M	▽	▽	▽	▽	▽	▽
	L	▽	▽	▽	▽	▽	▽
	XL	▽	▽	▽	▽	▽	▽
<b>Frame colour</b>	Anthracite Gloss	▽	▽	▽	▽	▽	▽
	Mercury Red Gloss	▽	▽	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
	Pearl White Gloss	▽	▽	▽ (C/M)	▽ (C/M)	▽ (C/M)	▽ (C/M)
<b>Fork</b>	SR Suntour MobiE A32 Coil, 75 mm, 15x100 mm Axle	•	•	–	–	–	–
	SR Suntour MobiE 25 Coil, 75 mm, 15x100 mm Axle	–	–	•	•	•	•
	SR Suntour MobiE 25 Air, 75 mm, 15x100 mm Axle	–	–	–	–	–	•
<b>Motor</b>	Panasonic GX Power Plus	•	•	–	–	–	–
	Panasonic GX Ultimate	–	–	•	•	•	•
<b>Assistance levels</b>	4 assistance levels (including auto mode)	•	•	•	•	•	•
<b>Pedal assist</b>	Up to 25 km/h	•	•	•	•	•	•
<b>Pushing aid</b>	Pushing aid up to 6 km/h	•	•	•	•	•	•
<b>Battery</b>	FLYER SIB-630 (630Wh/16.75Ah/36V)	•	•	•	•	•	•
	FLYER SIB-750 (750Wh/20.1Ah/36V)	200	200	200	200	200	200
<b>Display</b>	FIT DO (2" Color Display)	•	•	•	•	•	–
	FIT D1 (3.5" Color Display)	–	–	–	300	–	•
<b>Type of gears</b>	Hub gears with chain	•	•	–	–	–	–
	Hub gears with belt	–	–	•	•	•	•
<b>Gears</b>	Shimano Nexus, 5 Speed	•	–	–	–	•	–
	Shimano Nexus coaster brake, 5 Speed	–	•	–	–	–	–
	Shimano Nexus, 8 Speed; Gates Carbon Drive CDX	–	–	•	–	–	–
	Enviolo TR; Gates Carbon Drive CDX	–	–	–	•	–	–
	Enviolo TR Automatiq Integrated; Gates Carbon Drive CDX	–	–	–	300 (D1)	–	–
	Rohloff Speedhub, E-14 Speed; Gates Carbon Drive CDX	–	–	–	–	–	•
<b>Brakes</b>	Shimano T401, 180/180 mm	•	–	–	–	–	–
	Shimano T401, 180/160 mm	–	•	–	–	–	–
	Shimano Deore T6000, 180/180 mm	–	–	•	•	•	–
	Shimano XT T8000, 180/180 mm	–	–	–	–	–	•
<b>Stem</b>	FLYER Alloy, 31.8 x 95 mm, Adjustable Angle	•	•	•	•	•	•
<b>Handlebars</b>	Kalloy HB-TR2, 640 mm, 25°	•	•	•	•	•	•
<b>Saddle</b>	Selle Royal Ariel	•	•	•	•	•	–
	Selle Royal Essenza+	–	–	–	–	–	•
<b>Seat post</b>	FLYER Alloy, 30.9 mm x 300 (S) / 350 (M-XL) mm	•	•	•	•	•	•
<b>Rims</b>	FLYER Disc	•	•	•	•	•	•
<b>Front hub</b>	Shimano Alivio HB-MT400, 32h	•	•	–	–	–	–
	Shimano Deore HB-M6010, 32h	–	–	•	–	•	–
	Bear Paws BMT-003, 32h	–	–	–	•	–	–
	Shimano XT HB-M8010, 32h	–	–	–	–	–	•
<b>Rear hub</b>	Shimano Nexus SG-C7000-5D, 32h	•	–	–	–	•	–
	Shimano Nexus SG-C7000-5CD, 32 h	–	•	–	–	–	–
	Shimano Nexus SG-C6001-8D, 32h	–	–	•	–	–	–
	Enviolo TR CVP, 32h	–	–	–	•	–	–
	Rohloff Speedhub 500/14, 32h	–	–	–	–	–	•
<b>Tyres</b>	Schwalbe Big Ben 28 x 2.15	•	•	•	•	•	•
<b>Pedals</b>	FLYER Wellgo	•	•	•	•	•	•
<b>Headlight</b>	Busch & Müller IQ-Myc	•	•	–	–	–	–
	Busch & Müller IQ-XS	–	–	•	•	•	–
	Busch & Müller IQ-X	–	–	–	–	–	•
<b>Weight without battery</b>	about 24,3 kg, Weight battery: about 3,7 kg, Weight of bike with t	•	•	•	•	•	•
<b>Rear light</b>	Busch & Müller 2C	•	•	•	•	•	•
<b>Mudguard</b>	SunnyWheel 65 mm	•	•	•	•	•	•
<b>Kickstand</b>	Pletscher Comp 40 Flex	•	•	•	•	•	•
<b>Rack</b>	FLYER Racktime with spring clamp	•	•	•	•	•	•
<b>Anti-theft protection</b>	ABUS Shield 5650L (Frame lock: single key system with battery lock)	•	•	•	•	•	•
<b>Charger</b>	FLYER Charger 4 A 36V	•	•	•	•	•	•