

# GOTOUR3

## THE FAMILY BIKE

**The Gotour3 is a low-maintenance family member on two wheels! The versatile transport options make it suitable for the weekly grocery shop, an outing with a picnic basket, or taxi services for children and all their kit.**

The front rack has a permitted load capacity up to 10 kg. The rear rack is approved and set up for the «Thule Yepp Nexxt Maxi» and «Hamax Caress E-Bike» child seats. In just a few steps, the All-Up stem and saddle can be adjusted to the height of the rider. The particularly robust frame had a thread for securely attaching

a child trailer. The easy battery access, ergonomically laid out control elements, and the generous size of the display make it ideal for the whole family. The incredibly robust Nexus five-gear internal geared hub from Shimano coordinates perfectly with the high loads of the powerful mid-drive motor, providing exceptional durability and enabling rapid gear changes. For even greater durability, the internal geared hub is combined with the extremely low-maintenance «Gates Carbon Drive» belt drive.



7.43  
Sahara Sand Satin

**FANTASTIC**  
LOAD CAPACITY



**7.43**  
Pigeon Blue Gloss

**Approved for children's buggies and seats**

Robust frames for family transport

**180 kg load capacity**

With one rack at the front (10 kg) and one at the back (27 kg)

**75 Nm torque**

The Panasonic GX Power Plus provides plenty of support



**FLYER BAG**

**Available accessories:** High-quality bag designed to fit in the front rack, made from natural materials with a protective wax coating.

**GOTOUR3**

		7.43
Wheel size	26"	●
Frame	Aluminium   FLYER engineered, hydroformed tubing   Internal cable routing, 135 mm spacing	●
Frame size	S/M ; L/XL	○
Frame colour	Pigeon Blue / White Satin	○
	Sahara Sand Satin	○
Fork	SR Suntour Mobie45 Air, 60 mm travel, 15 x 100 mm axle	●
Motor	Panasonic GX Power Plus	●
Battery	FLYER STB-630 (630 Wh / 16.75 Ah / 36 V)	●
Display	FLYER D0 (2" colour display)	●
Type of gears	Hub gears with belt	●
Gears	Shimano Nexus, 5 speed; Gates Carbon Drive CDX	●
Brakes	Magura MT5, 203/180 mm	●
Stem	Satori All Up 1.5°, 35 x 95 mm, adjustable height 90 mm (S-M) / 150 mm (L-XL), adjustable angle	●
Handlebars	FLYER Cruise, 640 mm, 42°, 55 mm	●
Saddle	Selle Royal Viaggio	●
Seat post	bySchulz G.2 ST, 30.9 x 350 mm	●
Rims:	Mach1 Kargo Disc	●
Front hub:	Shimano Deore HB-M6010, 32h	●
Rear hub:	Shimano Nexus SG-C7000-5D, 32h	●
Tyres	Schwalbe Super Moto-X 26 x 2.40 (62-559)	●
Pedals	FLYER Wellgo	●
Headlight	Busch & Müller IQ-XS Friendly	●
Rear light	Busch & Müller 2C	●
Mudguard	SunnyWheel 70mm	●
Kickstand	Ursus Jumbo	●
Rack	FLYER Front Basket GT3; FLYER GPT, child seat compatible	●
Anti-theft protection	Abus Shield 5650L; battery lock with YourPlus one key system	●
Charger	FLYER Fast Charger 6A 36V	●

Weight without battery approx. **28,6 Kg** | Weight of battery approx. **3,7 Kg** | Weight ready to drive approx. **33 Kg** | Permissible total weight approx. **180 Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents

# FLYER CHILD BIKE TRAILER

The FLYER child bike trailer turns the FLYER e-bike into the perfect family transporter. The child bike trailer is securely attached to the e-bike using the K-Link system and is ready to go within seconds.

## Buggy- und jogger bike

For journeys without the e-bike

## One-handed folding system

Easy and quick to pack everything away

## Equipped for daily life

With MonkeyLink rear lights, attachable mudguard, and sun protection

## Practical extras

Additional storage space, bottle holder, and washable seat cushions




"K-LINK"-SYSTEM



JOGGER BIKE





## SMART ON THE ROAD WITH THE GOTOUR3

[Watch video](#)

## GEOMETRY GOTOUR3

cm	S/M 162-178	L/XL 179-195		
A	470	570	A	Seat tube length
B	580	610	B	Top tube length
C	140	180	C	Head tube length
D	521	521	D	Chainstay length
E	68°	68°	E	Head tube angle
F	73°	73°	F	Seat tube angle
G	62	62	G	Bottom bracket drop
M	280	280	M	Bottom bracket height
I	1203	1237	I	Wheelbase
J	363	363	J	Protrusion height/clearance height
K	619	656	K	Stack
L	414	433	L	Reach
M	1886	1920	M	Total length