

GOTOUR6

THE ADAPTABLE AESTHETE

The Gotour6 is a touring e-bike «par excellence». Design, ride comfort, and ergonomics are so connected and coordinated that every journey becomes a pleasure.

The Speedlifter Twist enables the Gotour6 handlebar to be adjusted at any time to the most comfortable position for the rider, in just two steps and without

using any tools. The handlebar can be turned 90° to save space when storing the e-bike. Cables, drive, and battery are discreetly integrated into the frame and the flowing lines lend the Gotour6 a premium optic. The «Bosch Performance Line» drive provides whisper-quiet assistance with up to 65 Nm of torque in the higher model variants.

7.10

Anthracite Gloss



TOP-SELLER

Speedlifter Twist

Handlebar height individually adjustable without using tools

Design excellence

Elegant proportions and integrated battery and cables

Premium equipment

From the «Bosch Performance Line» motor to the electric «Enviolo» hub

Depending on the model, the Gotour6 can also be fitted with a large 625 Wh battery (instead of 500 Wh on the entry models) and a Gates Carbon Drive. This high-quality carbon-reinforced belt drive is smooth, particularly

low maintenance, and does not rust. The XC model variants have all-terrain tires, providing an even safer ride on any terrain.

GOTOUR6 DERAILLEUR GEARS

| | | Prices options in CHF/EUR | 3.10 | 7.10 | 7.12 XC |
|-----------------------|---|---------------------------|-------|-------|---------|
| Wheel size | 28" | | ● | ● | - |
| | 27.5" | | - | - | ● |
| Frame shape | Comfort | | ○ | ○ | ○ |
| | Gents | | ○ | ○ | ○ |
| Frame | Aluminium FLYER engineered, hydroformed tubing Internal cable routing, 135 mm spacing | | ● | ● | ● |
| Frame size | S | | ○ (C) | ○ (C) | ○ (C) |
| | M / L / XL | | ○ | ○ | ○ |
| Frame colour | Anthracite Gloss Cast Silver Gloss Jeans Blue Gloss | | ○ | ○ | ○ |
| | Cast Silver Gloss | | ○ | ○ | ○ |
| | Jeans Blue Gloss | | ○ | ○ | ○ |
| Fork | SR Suntour NEX-E25, 63 mm travel | | ● | - | - |
| | SR Suntour Mobie25 Coil, 75 mm travel, 15 x 100 mm axle | | - | ● | ● |
| Motor | Bosch Active Line Plus | | ● | - | - |
| | Bosch Performance Line | | - | ● | ● |
| Battery | Bosch PowerTube 500 (500 Wh / 13.4 Ah / 36 V) | | ● | - | - |
| | Bosch PowerTube 625 (625 Wh / 17.4 Ah / 36 V) | 200 | ● | ● | ● |
| Display | Bosch Intuvia | | ● | ● | ● |
| Gears | Shimano Alivio, 9 speed, 11-36t | | ● | - | - |
| | Shimano Deore LinkGlide, 10 speed, 11-43t | | - | ● | ● |
| Brakes | Shimano T200 or Tektro HD-T280, 180/180 mm* | | ● | - | - |
| | Shimano Deore T6000, 180/180 mm | | - | ● | - |
| | Shimano MT520/500, 180/180 mm | | - | - | ● |
| Stem | Satori Up2+, 31.8 x 90 mm, adjustable angle | | ● | - | - |
| | Speedlifter Twist, 31.8 x 95 mm, adjustable height 60 mm (XS) / 80 mm (S-M) / 100 mm (L-XL), adjustable angle | | - | ● | ● |
| Handlebars | FLYER Cruise, 620 mm, 44°, 55 mm (C) / Kalloy HB-TR2, 640 mm, 25° (G) | | ● | ● | ● |
| Saddle | Selle Royal Nuvola | | ● | - | - |
| | Selle Royal Lookin | | - | ● | ● |
| Seat post | FLYER Cushy Suspension, 27.2 x 250 (S) / 300 (M-XL) mm | | ● | - | - |
| | FLYER Bracer Suspension, 27.2 x 300 mm | | - | ● | ● |
| Rims: | FLYER disc | | ● | ● | ● |
| Front hub: | Shimano Alivio HB-MT400, 32h | | ● | - | - |
| | Shimano Deore HB-M6010, 32h | | - | ● | ● |
| Rear hub: | Shimano Alivio FH-M4050, 32h | | ● | - | - |
| | Shimano Deore FH-M6000, 32h | | - | ● | ● |
| Tyres | Schwalbe Energizer Plus 28 x 2.00 (50-622) | | ● | - | - |
| | Schwalbe Big Ben 28 x 2.15 (55-622) | | - | ● | - |
| | Maxxis Crossmark II 27.5 x 2.25 (57-584) | | - | - | ● |
| Pedals | VP VPE-891 | | ● | - | - |
| | FLYER Wellgo | | - | ● | ● |
| Headlight | FLYER HL-1 | | ● | - | - |
| | Busch & Müller IQ-XS Friendly | | - | ● | ● |
| Rear light | FLYER RL-1 | | ● | - | - |
| | Busch & Müller 2C | | - | ● | ● |
| Mudguard | SKS B65 | | ● | ● | ● |
| Kickstand | Atran Velo Edge HV | | ● | - | - |
| | Pletscher Comp 40 Flex | | - | ● | ● |
| Rack | FLYER Racktime, integrated spring flap | | ● | ● | ● |
| Anti-theft protection | Abus Shield 5650L; battery lock with YourPlus one key system | | ● | ● | - |
| | Abus battery lock with YourPlus one key system | | - | - | ● |
| Charger | Bosch 4A standard charger | | ● | - | - |
| | Bosch 6A fast charger | | - | ● | ● |

*depending on availability of components

Weight without battery approx. **26,0 Kg** | Weight of battery approx. **3,5 Kg** | Weight ready to drive approx. **30 Kg** | Permissible total weight **150 Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents

GOTOUR6

THE ADAPTABLE AESTHETE

5.41R

Cast Silver Gloss



7.43R

Jeans Blue /
Metallic Gloss



7.12 XC

Anthracite Gloss



GOTOUR6 HUB GEARS

| | | 3.40 (3.41R) | 5.20 | 5.40 (5.41R) | 7.23 | 7.43 (7.43R) |
|-----------------------|--|---------------------------|------|-----------------|-------|-----------------|
| | | Prices options in CHF/EUR | | | | |
| Wheel size | 28" | ● | ● | ● | ● | ● |
| Frame shape | Comfort | ○ | ● | ○ | ○ | ○ |
| | Gents | ○ | - | ○ | ○ | ○ |
| Frame | Aluminium FLYER engineered, hydroformed tubing Internal cable routing, 135 mm spacing | ● | ● | ● | ● | ● |
| Frame size | S | ○ (C) | ○ | ○ (C) | ○ (C) | ○ (C) |
| | M / L / XL | ○ | ○ | ○ | ○ | ○ |
| Frame colour | Anthracite Gloss | ○ | ○ | ○ | ○ | ○ |
| | Cast Silver Gloss | ○ | ○ | ○ | ○ | ○ |
| | Jeans Blue Gloss | ○ | - | ○ | ○ | ○ |
| Fork | SR Suntour NEX-E25, 63 mm travel | ● | - | - | - | - |
| | SR Suntour Mobie-A32 Coil, 75 mm travel, 15 x 100 mm axle | - | ● | ● | - | - |
| | SR Suntour Mobie25 Coil, 75 mm travel, 15 x 100 mm axle | - | - | - | ● | ● |
| Motor | Bosch Active Line Plus | ● | - | - | - | - |
| | Bosch Performance Line | - | ● | ● | ● | ● |
| Battery | Bosch PowerTube 500 (500 Wh / 13.4 Ah / 36 V) | ● | - | - | - | - |
| | Bosch PowerTube 625 (625 Wh / 17.4 Ah / 36 V) | 200 | ● | ● | ● | ● |
| Display | Bosch Intuvia | ● | ● | ● | ● | ● |
| Type of gears | Hub gears with chain | ● | ● | ● | - | - |
| | Hub gears with belt | - | - | - | ● | ● |
| Gears | Shimano Nexus, 5 speed | ● | - | ● | - | - |
| | Shimano Nexus Coaster, 5 speed | ○ (3.41R) | - | ○ (5.41R) | - | - |
| | Enviolo TR; Gates Carbon Drive CDX | - | - | - | ● | - |
| | Enviolo TR automatic; Gates Carbon Drive CDX | - | - | - | 300 | - |
| | Enviolo TR | - | ● | - | - | - |
| | Shimano Nexus, 5 speed; Gates Carbon Drive CDX | - | - | - | - | ● |
| Brakes | Shimano Nexus Coaster, 5 speed; Gates Carbon Drive CDX | - | - | - | - | ○ (7.43R) |
| | Shimano T200 or Tektro HD-T280, 180/160 mm* | ● | - | - | - | - |
| | Shimano MT402, 180/180 mm | - | ● | ● | - | - |
| | Shimano MT402, 180/160 mm | - | - | ○ (5.41R) | - | - |
| | Shimano Deore T6000, 180/180 mm | - | - | - | ● | ● |
| Stem | Shimano Deore T6000, 180/160 mm | - | - | - | - | ○ (7.43R) |
| | Satori Up2+, 31.8 x 90 mm, adjustable angle | ● | - | - | - | - |
| | Speedlifter Twist, 31.8 x 95 mm, adjustable height 60 mm (XS) / 80 mm (S-M) / 100 mm (L-XL), adjustable angle | - | ● | ● | ● | ● |
| Handlebars | FLYER Cruise, 620 mm, 44°, 55 mm (C) / Kalloy HB-TR2, 640 mm, 25° (G) | ● | ● | ● | ● | ● |
| Saddle | Selle Royal Nuvola | ● | - | - | - | - |
| | Selle Royal Lookin | - | ● | ● | ● | ● |
| Seat post | FLYER Cushy Suspension, 27.2 x 250 (S) / 300 (M-XL) mm | ● | ● | ● | - | - |
| | FLYER Bracer Suspension, 27.2 x 300 mm | - | - | - | ● | ● |
| Rims: | FLYER disc | ● | ● | ● | ● | ● |
| Front hub: | Shimano Alivio HB-MT400, 32h | ● | ● | ● | - | - |
| | Shimano Deore HB-M6010, 32h | - | - | - | ● | ● |
| Rear hub: | Shimano Nexus SG-C7000-5D, 32h | ● | - | ● | - | ● |
| | Shimano Nexus SG-C7000-5CD, 32h | ○ (3.41R) | - | ○ (5.41R) | - | ○ (7.43R) |
| | Enviolo TR CVP, 32h | - | ● | - | ● | - |
| Tyres | Schwalbe Energizer Plus 28 x 2.00 (50-622) | ● | - | - | - | - |
| | Schwalbe Big Ben 28 x 2.15 (55-622) | - | - | ● | ● | ● |
| | Schwalbe Marathon Plus 28x2.0 | - | ● | - | - | - |
| Pedals | VP VPE-891 | ● | - | - | - | - |
| | FLYER Wellgo | - | ● | ● | ● | ● |
| Headlight | FLYER HL-1 | ● | - | - | - | - |
| | Busch & Müller IQ-Myc | - | ● | ● | - | - |
| | Busch & Müller IQ-XS Friendly | - | - | - | - | ● |
| Rear light | FLYER RL-1 | ● | - | - | - | - |
| | Busch & Müller 2C | - | ● | ● | ● | ● |
| Mudguard | SKS B65 | ● | ● | ● | ● | ● |
| Kickstand | Atrian Velo Edge HV | ● | - | - | - | - |
| | Pletscher Comp 40 Flex | - | ● | ● | ● | ● |
| Rack | FLYER Racktime, integrated spring flap | ● | ● | ● | ● | ● |
| Anti-theft protection | Abus Shield 5650L; battery lock with YourPlus one key system | ● | ● | ● | ● | ● |
| Charger | Bosch 4A standard charger | ● | ● | ● | - | - |
| | Bosch 6A fast charger | - | - | - | ● | ● |

*depending on availability of components

Weight without battery approx. **26,0 Kg** | Weight of battery approx. **3,5 Kg** | Weight ready to drive approx. **30 Kg** | Permissible total weight **150 Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents