

# UPROC2

## THE POWER HARDTAIL

**This premium hardtail offers power, comfort, and riding stability in the most demanding situations. The powerful motor and large battery make the Uproc2 the perfect companion on steep paths and extended journeys.**

29-inch wheel sets with chunky 2.6-inch tires keep the rolling resistance low and provide plenty of traction. The sleek design and high torsion resistance of

the oversize aluminum frame with its 1.8-inch head tube produces a comfortable, robust ride. Smart details such as the internally routed cables and the speed sensor integrated into the frame produce a confident, clean aesthetic. The sporty yet comfortable seating position and the 120-mm suspension forks ensure comfort and safety on any terrain.

**6.30**

Coast Blue /  
Black Gloss



**FIT 2.0**

**SYSTEM INTEGRATION**

INTUITIVE OPERATION, SMART FUNCTIONS

The fully integrated battery can be removed in just two steps without any tools. The battery lock also ensures a secure, vibration-free fit. The intelligent MonkeyLink interfaces make it extremely easy to click accessories, such as lights or fenders, into

place using a magnetic feed. The lights are supplied with energy from the e-bike's battery. Thanks to the «FIT 2.0» system integration, a larger «FIT Display Comfort» display can be fitted later.

### Panasonic GX Ultimate Pro FIT

95 Nm torque means no climb is too steep

### Oversize aluminum frame

Incredible riding stability and a muscular aesthetic

### 750 Wh battery

Plenty of energy for extended tours

## UPROC2

		2.10	6.30
Wheel size	29"	●	●
Frame shape	Comfort	○	○
	Gents	○	○
Frame	Aluminium   FLYER engineered, hydroformed tubing   Internal cable routing, Boost 12 x 148 mm	●	●
Frame size	S / M / L / XL	○	○
Frame colour	Coast Blue / Black Gloss	○	○
	Cast Silver / Black Gloss	○	○
Fork	SR Suntour XCR34 Air, 120 mm travel, 1.8" steerer, 15 x 110 mm Boost	●	-
	RockShox 35 Gold, 120 mm travel, 1.8" steerer, 15 x 110 mm Boost	-	●
Motor	Panasonic GX Ultimate Pro FIT	●	●
Battery	FLYER FIB-750 36V FIT (750 Wh / 20.1 Ah / 36 V)	●	●
Display	FIT Display Compact (DSP1-M, 2" color display)	●	●
Gears	Shimano Deore, 10 speed, 11-46t	●	-
	Shimano XT/Deore, 12 speed, 10-51t	-	●
Brakes	Shimano MT420, 203/180 mm	●	-
	Shimano MT520, 203/180 mm	-	●
Stem	FLYER MonkeyLink, 35 x 50 mm, 0°	●	●
Handlebars	FLYER alloy, 740 mm, 7°, 25 mm	●	●
Saddle	Selle Royal Vivo	●	●
Seat post	FLYER dropper post MT214, 100 (S) / 125 (M) / 150 (L-XL) mm travel, 34.9 mm	●	●
Rims:	Alexrims MD30	●	●
Front hub:	Formula DC-511, 32h	●	●
Rear hub:	Formula EHL-148S, 32h	●	-
	Formula EHL-148M, 32h	-	●
Tyres	Maxxis Rekon EXO+ TR 29 x 2.60 (65-622)	●	●
Pedals	VP 527	●	●
Headlight	MonkeyLink Connect ready	●	●
Rear light	MonkeyLink Connect ready	●	●
Mudguard	MonkeyLink Connect ready	●	●
Kickstand	Kickstand ready	●	●
Anti-theft protection	Abus battery lock with YourPlus one key system	●	●
Charger	FIT Fast Charger 36V 6A	●	●
Permissible total weight approx. <b>140 Kg</b>			

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents

UPROC2

# THE POWER HARDTAIL

**2.10**

Cast Silver /  
Black Gloss



**6.30**

Coast Blue /  
Black Gloss



**6.30**

Coast Blue /  
Black Gloss





# GEOMETRY

## GENTS

cm	S 160-170	M 170-180	L 180-190	XL 190-200
A	400	450	500	550
B	604	620	649	682
C	118	128	138	148
D	505	505	505	505
E	69°	70°	70.5°	70.5°
F	73°	73°	73°	73°
G	65	65	65	65
M	315	315	315	315
I	1179	1184	1207	1240
J	760	785	800	830
K	673	687	699	708
L	398	410	435	465
M	1938	1943	1966	1999

## COMFORT

cm	S 160-170	M 170-180	L 180-190	XL 190-200
A	400	450	500	550
B	604	620	649	682
C	118	128	138	148
D	505	505	505	505
E	69°	70°	70.5°	70.5°
F	73°	73°	73°	73°
G	65	65	65	65
M	315	315	315	315
I	1179	1184	1207	1240
J	700	700	700	700
K	673	687	699	708
L	398	410	435	465
M	1938	1943	1966	1999

A	Seat tube length
B	Top tube length
C	Head tube length
D	Chainstay length
E	Head tube angle
F	Seat tube angle
G	Bottom bracket drop
M	Bottom bracket height
I	Wheelbase
J	Protrusion height/clearance height
K	Stack
L	Reach
M	Total length