

UPROC X

THE ALLMOUNTAIN POWERHOUSE

Concentrated power and large energy reserves: The Uproc X pushes the limits in the mountains and on trails. Whether going uphill or downhill, its perfectly tuned 150 mm frameset and balanced geometry make it shine. A premium allmountain bike for the highest demands!

The progressive style of the premium carbon frame with its precisely tuned rigidity guarantees a dynamic,

smooth ride and plenty of freedom of motion off-road. The four-link suspension design with 150 mm travel, carbon rocker link, large industrial bearings, and specifically tuned rear shocks ensure control, safety, and fun. The super-quiet «Panasonic GX Ultimate Pro FIT» motor with 95 Nm torque and a peak performance of 600 watts produces powerful assistance.

9.50
Black Shading Satin



95^{NM}

PLENTY OF THRUST

PANASONIC GX ULTIMATE PRO FIT

150 mm travel

750 Wh battery

Mixed Wheel concept (29"/27.5")

Control and comfort on challenging trails

Plenty of energy for long days in the mountains

Excellent roll-over characteristics, grippy and agile

The bolt-in battery attachment guarantees a completely secure, vibration-free fit of the battery, while simultaneously allowing it to be replaced in just a few steps with a 6 mm hex key – even out on the trail. An equipment highlight on the 9.50 and 8.70 models is the fully integrated stem / handlebar unit made from carbon, with internal

electronic cable routing creating a sleek cockpit. The integrated MonkeyLink interfaces allow you to quickly attach a headlight that runs off the e-bike's battery.

UPROC X

		2.10	6.10	8.70	9.50
Wheel size	29" / 27.5"	●	●	●	●
Frame	Carbon FLYER engineered 4-link suspension, 150 mm travel Internal cable routing, Boost 12 x 148 mm	●	●	●	●
Frame size	S / M / L / XL	○	○	○	○
Frame colour	Black Shading Satin	○	○	○	○
	Enzian Blue gloss	○	○	○	○
Rear shock	RockShox Deluxe RL, 230 x 60 mm	●	-	-	-
	Fox Float X Performance, 230 x 60 mm	-	●	●	-
	Fox Float X Factory, 230 x 60 mm	-	-	-	●
Fork	RockShox 35 Silver R, 150 mm travel, 15 x 110 mm Boost	●	-	-	-
	Fox 36 Float Rhythm, 150 mm travel, 15 x 110 mm Boost	-	●	-	-
	Fox 36 Float Performance, 150 mm travel, 15 x 110 mm Boost	-	-	●	-
	Fox 36 Float Factory, 150 mm travel, 15 x 110 mm Boost	-	-	-	●
Motor	Panasonic GX Ultimate Pro FIT	●	●	●	●
Battery	FLYER FIB-630 36V FIT (630 Wh / 16.75 Ah / 36 V)	●	-	-	-
	FLYER FIB-750 36V FIT (750 Wh / 20.1 Ah / 36 V)	-	●	●	●
Display	FIT Display Remote LCD (DSP1-S, 1.3" color display)	●	-	-	-
	FIT Display Compact (DSP1-M, 2" color display)	-	●	●	●
Gears	Shimano Deore, 11 speed, 11-51t	●	-	-	-
	Shimano Deore, 12 speed, 10-51t	-	●	-	-
	Shimano XT, 12 speed, 10-51t	-	-	●	-
	Sram X01 AXS, 12 speed, 10-50t	-	-	-	●
Brakes	Shimano MT420, 203/203 mm	●	-	-	-
	Shimano MT520, 203/203 mm	-	●	-	-
	Shimano XT BR-M8120, 203/203 mm	-	-	●	-
	Shimano XTR BR-M9120, 220/203 mm	-	-	-	●
Stem	Satori Ursa, 35 x 35 mm, 0°	●	●	-	-
	FLYER Carbon Cockpit, MonkeyLink, 31.8 x 40 mm, 0°, 780 mm, 9°, 20 mm	-	-	●	●
Handlebars	FLYER alloy, 780 mm, 9°, 25 mm	●	●	-	-
	FLYER Carbon Cockpit, MonkeyLink, 31.8 x 40 mm, 0°, 780 mm, 9°, 20 mm	-	-	●	●
Saddle	Selle Royal Vivo	●	-	-	-
	Fizik Aidon	-	●	●	●
Seat post	FLYER dropper post MT214, 125 (S) / 150 (M) / 170 (L-XL) mm travel, 34.9 mm	●	●	-	-
	KS LEV Integra Remote, 125 (S) / 150 (M) / 175 (L-XL) mm travel, 34.9 mm	-	-	●	-
	Sram Reverb AXS, 125 (S) / 150 (M) / 170 (L-XL) mm travel, 34.9 mm	-	-	-	●
Rims:	Alexrims MD30	●	●	-	-
	DT Swiss H 1900 Spline 30	-	-	●	-
	DT Swiss HXC 1501 Spline One 30	-	-	-	●
Front hub:	Formula DC-511, 32h	●	-	-	-
	Formula DC-711, 32h	-	●	-	-
	DT Swiss H 1900 Spline 30	-	-	●	-
	DT Swiss HXC 1501 Spline One 30	-	-	-	●
Rear hub:	Formula EHL-148S, 32h	●	-	-	-
	Formula EHL-148M, 32h	-	●	-	-
	DT Swiss H 1900 Spline 30	-	-	●	-
	DT Swiss HXC 1501 Spline One 30	-	-	-	●
Tyres	Front: Schwalbe Magic Mary Super Trail 29 x 2.40 (62-622) / Rear: Schwalbe Big Betty Super Trail 27.5 x 2.60 (65-584)	●	●	●	●
Pedals	VP 527	●	-	-	-
	VP 532	-	●	●	●
Headlight	MonkeyLink Connect ready	●	●	●	●
Rear light	MonkeyLink Recharge ready	●	●	●	●
Charger	FIT Charger 36V 4A	●	-	-	-
	FIT Fast Charger 36V 6A	-	●	●	●

Weight without battery approx. **20,9 Kg** | Weight of battery approx. **4,3 Kg** | Weight ready to drive approx. **26 Kg** | Permissible total weight **140 Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents

UPROC X

THE ALLMOUNTAIN POWERHOUSE

2.10

Black Shading Satin



6.10

Enzian Blue Gloss



8.70

Black Shading Satin



GEOMETRY

cm	S 155-165	M 165-175	L 175-185	XL 185-195
A	400	415	450	485
B	576	589	619	645
C	100	110	120	140
D	460	460	460	460
E	64.5°	65°	65°	65°
F	77°	77°	77°	77°
G	31/12	31/12	31/12	31/12
M	351	351	351	351
I	1221	1229	1261	1291
J	772	772	772	772
K	612	622	631	650
L	435	445	473	495
M	1965	1974	2006	2037

A	Seat tube length
B	Top tube length
C	Head tube length
D	Chainstay length
E	Head tube angle
F	Seat tube angle
G	Bottom bracket drop
M	Bottom bracket height
I	Wheelbase
J	Protrusion height/clearance height
K	Stack
L	Reach
M	Total length