

# UPSTREET5

## THE MULTI-PURPOSE ALLROUNDER

This best-selling series is impressive, whether on rapid urban commutes or taking a detour on a rural lane: The powerful Upstreet5's wide range of available

configurations enable riders to create their own e-bike adventures.

### Power and design

Elegantly designed Panasonic GX Motors for up to 300 % pedal assist

### 750 Wh battery capacity

For plenty of elevation gain and even more kilometers

### Large selection of models

Choice of frame sizes, frame types, HS versions, or XC tires



7.10 HS  
Pearl White Gloss

**BEST**  
SELLER

## UPSTREET5 DERAILLEUR GEARS

		3.12	5.10	7.10	7.10 HS	7.12 XC
Wheel size	28"	●	●	●	●	-
	27.5"	-	-	-	-	●
Frame shape	Comfort	○	○	○	○	○
	Mixed	○	○	○	○	○
	Gents	○	○	○	○	○
		○	○	○	○	○
Frame	Aluminium   FLYER engineered, hydroformed tubing Internal cable routing, 135 mm spacing	●	●	●	●	●
Frame size	S / M / L / XL	○	○	○	○	○
Frame colour	Anthracite Gloss	○	○	○	○	○
	Mercury Red Gloss	○	○	○	○	○
	Pearl White Gloss	○	○	○	○	○
Fork	SR Suntour Mobie-A32 Coil, 75 mm travel, 15 x 100 mm axle	●	●	-	-	-
	SR Suntour Mobie25 Coil, 75 mm travel, 15 x 100 mm axle	-	-	●	●	-
	SR Suntour Mobie25 Air, 75 mm travel, 15 x 100 mm axle	-	-	-	-	●
Motor	Panasonic GX Power Plus	●	-	-	-	-
	Panasonic GX Ultimate	-	●	●	-	●
	Panasonic GX Ultimate HS	-	-	-	●	-
Pedal assist	up to 25 km/h	●	●	●	-	●
	up to 45 km/h	-	-	-	●	-
Battery	FLYER SIB-630 (630 Wh / 16.75 Ah / 36 V)	●	●	-	-	-
	FLYER SIB-750 (750 Wh / 20.1 Ah / 36 V)	-	-	●	●	●
Display	FLYER D0 (2" colour display)	●	●	●	-	●
	FLYER D1 (3.5" colour display)	-	-	-	●	-
Gears	Shimano Alivio, 9 speed, 11-36t	●	●	-	-	-
	Shimano Deore LinkGlide, 10 speed, 11-43t	-	-	●	●	●
Brakes	Shimano T200 or Tektro HD-T280, 180/160 mm*	●	-	-	-	-
	Shimano MT402, 180/180 mm or Tektro HD-/280*	-	●	-	-	-
	Shimano Deore T6000, 180/180 mm	-	-	●	-	-
	Magura MT4e, 203/180 mm	-	-	-	●	-
	Shimano MT520/500, 180/180 mm	-	-	-	-	●
Stem	Satori Up2+, 31.8 x 90 mm, adjustable angle	●	-	-	-	-
	FLYER Alloy, 31.8 x 95 mm, adjustable angle	-	●	●	●	●
Handlebars	FLYER Cruise, 620 mm, 44°, 55 mm (C) / Kalloy HB-TR2, 640 mm, 25° (M/G)	●	-	-	-	-
	Kalloy HB-TR2, 640 mm, 25°	-	●	●	●	●
Saddle	Selle Royal Nuvola	●	●	-	-	-
	Selle Royal Essenza+ Moderate	-	-	●	●	●
Seat post	FLYER Alloy, 30.9 x 300 (S) / 350 (M-XL) mm	●	●	●	●	●
Rims:	FLYER disc	●	●	●	●	●
Front hub:	Shimano Alivio HB-MT400, 32h	●	●	-	-	-
	Shimano Deore HB-M6010, 32h	-	-	●	-	●
	Formula DC-71, 32h	-	-	-	●	-
Rear hub:	Shimano Alivio FH-M4050, 32h	●	●	-	-	-
	Shimano Deore FH-M6000, 32h	-	-	●	-	●
	Formula DC-38, 32h	-	-	-	●	-
Tyres	Schwalbe Smart Sam Classic Skin 28 x 2.25 (57-622)	●	-	-	-	-
	Schwalbe Big Ben 28 x 2.15 (55-622)	-	●	●	●	-
	Maxxis Crossmark II 27.5 x 2.25 (57-584)	-	-	-	-	●
Pedals	VP VPE-891	●	-	-	-	-
	FLYER Wellgo	-	●	●	●	●
Headlight	Busch & Müller IQ-Myc	●	●	-	-	-
	Busch & Müller IQ-XS Friendly	-	-	●	-	●
	Busch & Müller IQ-X	-	-	-	●	-
Rear light	Busch & Müller 2C	●	●	●	-	●
	Supernova M99 Tail Light 45	-	-	-	●	-
Mudguard	SunnyWheel 65mm	●	●	●	●	●
Kickstand	Pletscher Comp 40 Flex	●	●	●	●	●
Rack	FLYER Racktime, integrated spring flap or Pletscher Wersa*	●	●*	●	●	●
Anti-theft protection	Abus Shield 5650L; battery lock with YourPlus one key system	●	●	●	●	●
Charger	FLYER 4 A 36 V charger	●	●	-	-	-
	FLYER Fast Charger 6A 36V	-	-	●	●	●

\*depending on availability of components

Weight without battery approx. **24,3 Kg** | Weight of battery approx. **4,3 Kg** | Weight ready to drive approx. **29 Kg** | Permissible total weight **150 (HS 149) Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents

UPSTREET5

# THE MULTI-PURPOSE ALLROUNDER

**3.12**

Pearl White Gloss



**5.10**

Mercury Red Gloss



**7.12 XC**

Anthracite Gloss



**Stable wheel sets with wide tires and a balanced geometry ensure a comfortable, safe ride.**

The FLYER SIB-750 battery is cleverly integrated in the frame and the clear, ergonomic FIT control elements give the rider control in the cockpit. The Upstreet5's assistance comes from the quiet GX Power Plus (75 Nm) or - in the premium model - the super-powerful GX Ultimate (90 Nm) motor. Some models are fitted with a Gates Carbon Drive. This high-quality carbon-reinforced belt drive is smooth, extremely low maintenance, and does not rust. The «7.12 XC» model variants with off-road tires and particularly powerful four-piston disc brakes provide a very comfortable, safe ride on unpaved rural streets.

## GEOMETRY

COMFORT				
cm	S 155-165	M 165-175	L 175-185	XL 185-195
A	430	470	510	550
B	580	590	615	640
C	130	150	170	190
D	492	492	492	492
E	69°	70°	70.5°	70.5°
F	73°	73°	73°	73°
G	65	65	65	65
M	305	305	305	305
I	1139	1139	1159	1185
J	470	470	470	470
K	633	657	678	696
L	386	389	408	427
M	1909	1909	1929	1955

MIXED				
cm	S 155-165	M 165-175	L 175-185	XL 185-195
A	430	470	510	550
B	580	590	615	640
C	130	150	170	190
D	492	492	492	492
E	69°	70°	70.5°	70.5°
F	73°	73°	73°	73°
G	65	65	65	65
M	305	305	305	305
I	1139	1139	1159	1185
J	698	694	715	702
K	633	657	678	696
L	386	389	408	427
M	1909	1909	1929	1955

GENTS				
cm	S 155-165	M 165-175	L 175-185	XL 185-195
A	430	470	510	550
B	580	590	615	640
C	130	150	170	190
D	492	492	492	492
E	69°	70°	70.5°	70.5°
F	73°	73°	73°	73°
G	65	65	65	65
M	305	305	305	305
I	1139	1139	1159	1185
J	802	834	860	891
K	633	657	678	696
L	386	389	408	427
M	1909	1909	1929	1955

A	Seat tube length
B	Top tube length
C	Head tube length
D	Chainstay length
E	Head tube angle
F	Seat tube angle
G	Bottom bracket drop
M	Bottom bracket height
I	Wheelbase
J	Protrusion height/clearance height
K	Stack
L	Reach
M	Total length

UPSTREET5

# THE MULTI-PURPOSE ALLROUNDER

**5.40**

Pearl White Gloss



**7.23**

Mercury Red Gloss



**7.43**

Anthracite Gloss



## UPSTREET5 HUB GEARS

		5.40 (5.41R)	7.23	7.23 HS	7.43
		Prices options in CHF/EUR			
Wheel size	28"	●	●	●	●
Frame shape	Comfort	○	○	○	○
	Mixed	○	○	○	○
	Gents	○	○	○	○
Frame	Aluminium   FLYER engineered, hydroformed tubing Internal cable routing, 135 mm spacing	●	●	●	●
Frame size	S / M / L / XL	○	○	○	○
Frame colour	Anthracite Gloss	○	○	○	○
	Mercury Red Gloss	○	○	○	○
	Pearl White Gloss	○	○	○	○
Fork	SR Suntour Mobie-A32 Coil, 75 mm travel, 15 x 100 mm axle	●	-	-	-
	SR Suntour Mobie25 Coil, 75 mm travel, 15 x 100 mm axle	-	●	●	●
Motor	Panasonic GX Power Plus	●	-	-	-
	Panasonic GX Power Plus Coaster	○ (5.41R)	-	-	-
	Panasonic GX Ultimate	-	●	-	●
	Panasonic GX Ultimate HS	-	-	●	-
Pedal assist	up to 25 km/h	●	●	-	●
	up to 45 km/h	-	-	●	-
Battery	FLYER SIB-630 (630 Wh / 16.75 Ah / 36 V)	●	-	-	-
	FLYER SIB-750 (750 Wh / 20.1 Ah / 36 V)	-	●	●	●
Display	FLYER D0 (2" colour display)	●	●	-	●
	FLYER D1 (3.5" colour display)	-	-	●	-
Type of gears	Hub gears with chain	●	-	-	-
	Hub gears with belt	-	●	●	●
Gears	Shimano Nexus, 5 speed	●	-	-	-
	Shimano Nexus Coaster, 5 speed	○ (5.41R)	-	-	-
	Enviolo TR; Gates Carbon Drive CDX	-	●	●	-
	Enviolo TR, automatic, integrated; Gates Carbon Drive CDX	-	-	300	-
	Shimano Nexus, 5 speed; Gates Carbon Drive CDX	-	-	-	●
Brakes	Shimano MT402, 180/180 mm or Tektro HD-/280*	●	-	-	-
	Shimano MT402, 180/160 mm or Tektro HD-/280*	○ (5.41R)	-	-	-
	Shimano Deore T6000, 180/180 mm	-	●	-	●
	Magura MT4e, 203/180 mm	-	-	●	-
Stem	FLYER Alloy, 31.8 x 95 mm, adjustable angle	●	●	●	●
Handlebars	Kalloy HB-TR2, 640 mm, 25°	●	●	●	●
Saddle	Selle Royal Nuvola	●	-	-	-
	Selle Royal Essenza+ Moderate	-	●	●	●
Seat post	FLYER Alloy, 30.9 x 300 (S) / 350 (M-XL) mm	●	●	●	●
Rims:	FLYER disc	●	●	●	●
Front hub:	Shimano Alivio HB-MT400, 32h	●	-	-	-
	Bear Pawls BMT-003, 32h	-	●	●	-
	Shimano Deore HB-M6010, 32h	-	-	-	●
Rear hub:	Shimano Nexus SG-C7000-5D, 32h	●	-	-	●
	Shimano Nexus SG-C7000-5CD, 32h	○ (5.41R)	-	-	-
	Enviolo TR CVP, 32h	-	●	●	-
Tyres	Schwalbe Big Ben 28 x 2.15 (55-622)	-	●	●	●
Pedals	FLYER Wellgo	●	●	●	●
Headlight	Busch & Müller IQ-Myc	●	-	-	-
	Busch & Müller IQ-XS Friendly	-	●	-	●
	Busch & Müller IQ-X	-	-	●	-
Rear light	Busch & Müller 2C	●	●	-	●
	Supernova M99 Tail Light 45	-	-	●	-
Mudguard	SunnyWheel 65mm	●	●	●	●
Kickstand	Pletscher Comp 40 Flex	●	●	●	●
Rack	FLYER Racktime, integrated spring flap or Pletscher Wersa*	●*	●	●	●
Anti-theft protection	Abus Shield 5650L; battery lock with YourPlus one key system	●	●	●	●
Charger	FLYER 4 A 36 V charger	●	-	-	-
	FLYER Fast Charger 6A 36V	-	●	●	●

\*depending on availability of components

Weight without battery approx. **24,3 Kg** | Weight of battery approx. **4,3 Kg** | Weight ready to drive approx. **29 Kg** | Permissible total weight **150 (HS 149) Kg**

● Standard specification | - not available | ○ free option | (C) Comfort | (M) Mixed | (G) Gents